

SPI NAND FLASH Datasheet

1Gb/2Gb/4Gb/8Gb(DDP)

P/N : CT28(P_U)xGQSxHG-83

Confidential

DOCUMENT TITLE

SPI NAND Datasheet - Part #: CT28(P_U)xGQSxHG-83

REVISION HISTORY

Revision #	Description	Release Date	Note
0.1	Initial release	Jan. 24, 2019	
0.2	Update POD and Typo	Oct. 24, 2019	
0.3	Update DC/AC Char	Nov. 22, 2019	
0.4	Update POD information	Sep. 01, 2020	
0.50	Add Read Parameter Page Note	Dec. 02, 2020	

Confidential

CONTENTS

1 Overview	7
1.1 Part Number Information	7
1.2 Product Description	7
1.3 Key Features	8
1.4 Block Diagram	10
2 Package Type and Pin Configuration	11
2.1 Pin Configuration (8-LGA)	11
2.2 Pin Description.....	11
3 Memory Organization	12
3.1 Address Mapping.....	12
3.2 Memory Array Organization	12
4 SPI Bus Operation	14
4.1 Modes	14
4.2 Protocols.....	14
5 SPI NAND Command Definitions	15
6 Device Operations.....	17
6.1 ID Operations.....	17
6.1.1 Read ID (9Fh)	17
6.1.2 Read UID (EDh)	19
6.1.3 Read Parameter Page (ECh).....	20
6.2 Reset Operation.....	21
6.3 Write Operations	22
6.3.1 Write Enable (06h).....	22
6.3.2 Write Disable (04h)	22
6.4 Read Operations	23
6.4.1 Page Read (13h)	23
6.4.2 Read From Cache (03h / 0Bh)	25
6.4.3 Read From Cache x2 (3Bh).....	26
6.4.4 Read From Cache x4 (6Bh).....	27
6.4.5 Read From Cache Dual I/O (BBh)	28
6.4.6 Read From Cache Quad I/O (EBh).....	29
6.5 Program Operations	30



6.5.1 Page Program.....	30
6.5.2 Program Load (02h)	30
6.5.3 Program Load x4 (32h).....	31
6.5.4 Program Execute (10h)	32
6.5.5 Internal Data Move.....	33
6.5.6 Program Load Random Data (84h)	34
6.5.7 Program Load Random Data x4 (C4h / 34h)	35
6.5.8 Program Load Random Data Quad I/O (72h).....	36
6.6 Block Erase Operations	37
6.7 Features Operations	38
7 Advanced Features.....	40
7.1 OTP Region	40
7.1.1 Enable OTP Access	40
7.2 Block Protection.....	41
7.3 Status Register	42
7.4 ECC Protection	43
7.5 Bad Block Management.....	45
8 Electrical Characteristics.....	46
8.1 Absolute Maximum Ratings.....	46
8.2 Recommended Operating Conditions	46
8.3 DC Electrical Characteristics	47
8.4 AC Measurement Conditions.....	48
8.5 AC Characteristics	49
8.6 Performance Characteristics.....	50
8.7 Power-Up Timing Parameters.....	51
9 Package Dimensions.....	52



FIGURE CONTENTS

<u>Figure 1. Block Diagram</u>	10
<u>Figure 2. 8-Pin, LGA (Top View)</u>	11
<u>Figure 3. Memory Array Organization (1Gb, 2Gb, 4Gb)</u>	12
<u>Figure 4. SPI Modes Timing.....</u>	14
<u>Figure 5. Read ID (9Fh) Timing.....</u>	17
<u>Figure 6. Read UID (EDh) Timing.....</u>	19
<u>Figure 7. Read Parameter (ECh) Timing.....</u>	20
<u>Figure 8. Reset (FFh) Timing</u>	21
<u>Figure 9. Write Enable (06h) Timing</u>	22
<u>Figure 10. Write Disable (04h) Timing</u>	22
<u>Figure 11. Page Read (13h) Timing</u>	24
<u>Figure 12. Read From Cache (03h / 0Bh) Timing</u>	25
<u>Figure 13. Read From Cache x2 (3Bh) Timing</u>	26
<u>Figure 14. Read From Cache x4 (6Bh) Timing</u>	27
<u>Figure 15. Read From Cache Dual I/O (BBh) Timing</u>	28
<u>Figure 16. Read From Cache Quad I/O (EBh) Timing</u>	29
<u>Figure 17. Program Load (02h) Timing</u>	30
<u>Figure 18. Program Load x4 (32h) Timing.....</u>	31
<u>Figure 19. Program Executer (10h) Timing</u>	32
<u>Figure 20. Program Load Random Data (84h) Timing.....</u>	34
<u>Figure 21. Program Load Random Data x4 (C4h / 34h) Timing</u>	35
<u>Figure 22. Program Load Random Data Quad I/O (72h) Timing.....</u>	36
<u>Figure 23. Block Erase (D8h) Timing</u>	37
<u>Figure 24. Get Features (0Fh) Timing</u>	38
<u>Figure 25. Set Features (1Fh) Timing</u>	38
<u>Figure 27. Bus Signal Levels</u>	47
<u>Figure 28. Serial Input Timing</u>	49
<u>Figure 29. Serial Output Timing</u>	49
<u>Figure 30. Power-Up Timing</u>	51



TABLE CONTENTS

<u>Table 1. SPI Pin Descriptions.....</u>	11
<u>Table 2. Memory Address Map</u>	12
<u>Table 3. SPI NAND Command Set</u>	15
<u>Table 4. Read ID Table</u>	18
<u>Table 5. Feature Registers Description</u>	38
<u>Table 6. Drive Strength Configuration</u>	39
<u>Table 7. OTP States</u>	40
<u>Table 8. Block Lock Register Block Protect Bits</u>	41
<u>Table 9. Status Register Bit Descriptions</u>	42
<u>Table 10. ECC Error Bits Descriptions</u>	42
<u>Table 11. ECC Protection (2K/64B page).....</u>	43
<u>Table 12. ECC Protection (2K/128B page).....</u>	43
<u>Table 13. ECC Protection (4K/256B page).....</u>	44
<u>Table 14. Number of Valid Blocks</u>	45
<u>Table 16. Absolute Maximum Ratings</u>	46
<u>Table 17. Recommended Operating Conditions.....</u>	46
<u>Table 18. DC Electrical Characteristics.....</u>	47
<u>Table 19. AC Measurement Conditions</u>	48
<u>Table 20. AC Characteristics</u>	49
<u>Table 21. Performance Characteristics.....</u>	50
<u>Table 22. Power-Up Timing Parameters.....</u>	51

如需获取完整版规格书
请联系我司岳经理
电话：18138426570
微信二维码如下：



Linda

